

# Release Notes

**FortiAP-W2 7.2.0**



**FORTINET DOCUMENT LIBRARY**

<https://docs.fortinet.com>

**FORTINET VIDEO GUIDE**

<https://video.fortinet.com>

**FORTINET BLOG**

<https://blog.fortinet.com>

**CUSTOMER SERVICE & SUPPORT**

<https://support.fortinet.com>

**FORTINET TRAINING & CERTIFICATION PROGRAM**

<https://www.fortinet.com/training-certification>

**NSE INSTITUTE**

<https://training.fortinet.com>

**FORTIGUARD CENTER**

<https://www.fortiguard.com>

**END USER LICENSE AGREEMENT**

<https://www.fortinet.com/doc/legal/EULA.pdf>

**FEEDBACK**

Email: [techdoc@fortinet.com](mailto:techdoc@fortinet.com)



April 28, 2022

FortiAP-W2 7.2.0 Release Notes

40-720-803027-20220428

# TABLE OF CONTENTS

<b>Change log</b>	<b>4</b>
<b>Introduction</b>	<b>5</b>
Supported models	5
<b>New features or enhancements</b>	<b>6</b>
Region/country code update and DFS certification.	6
<b>Upgrade and downgrade information</b>	<b>7</b>
Upgrading to FortiAP-W2 version 7.2.0	7
Downgrading to previous firmware versions	7
Firmware image checksums	7
Supported upgrade paths	7
<b>Product integration and support</b>	<b>8</b>
<b>Resolved issues</b>	<b>9</b>
<b>Known issues</b>	<b>10</b>

## Change log

Date	Change description
2022-04-28	Initial release.

# Introduction

This document provides release information for FortiAP-W2 version 7.2.0, build 0268:

For more information about your FortiAP device, see the [FortiWiFi and FortiAP Configuration Guide](#).

## Supported models

FortiAP-W2 version 7.2.0, build 0268 supports the following models:

Models
FAP-221E, FAP-222E, FAP-223E, FAP-224E, FAP-231E



FortiAP-W2 models do not have the unified threat management (UTM) functionality.

---

## New features or enhancements

The following table includes FortiAP-W2 version 7.2.0 new features and enhancements:

Bug ID	Description
586021	NDPI-based Client Application Analyzer (for bridge-mode SSID).
746500	Optimize Broadcast & Multicast Suppression at the FortiAP side.
777465	MAC address filter under VAP supports firewall address group.
789339	Layer-3 roaming over tunnel-mode SSID across FortiAP networks.

## Region/country code update and DFS certification.

Bug ID	Description
730032	The region code of Qatar is changed from "I" to "E".

# Upgrade and downgrade information

## Upgrading to FortiAP-W2 version 7.2.0

FortiAP-W2 version 7.2.0 support upgrading from FortiAP-W2 version 7.0.3 and later.

## Downgrading to previous firmware versions

FortiAP-W2 version 7.2.0 support downgrading to FortiAP-W2 version 7.0.3 and later.

## Firmware image checksums

To get the MD5 checksum code for a Fortinet firmware image, perform the following steps:

1. Go to the [Fortinet Support](#) website.
2. Log in to your account. If you do not have an account, create one and then log in.
3. From the top banner, select **Download > Firmware Image Checksums**.
4. Enter the image file name, including the extension. For example, FAP\_S221E-v600-build0233-FORTINET.out.
5. Click **Get Checksum Code**.

## Supported upgrade paths

To view all previous FortiAP-W2 versions, build numbers, and their supported upgrade paths, see the [Fortinet Documentation](#) website.

# Product integration and support

The following table lists product integration and support information for FortiAP-W2 version 7.2.0:

<b>FortiOS</b>	7.2.0 and later
<b>Web browsers</b>	Microsoft Edge version 41 and later
	Mozilla Firefox version 59 and later
	Google Chrome version 65 and later
	Apple Safari version 9.1 and later (for Mac OS X)
	Other web browsers may work correctly, but Fortinet does not support them.



We recommend that the FortiAP firmware version be matched with the respective FortiOS version, when available. Other variations of FortiOS and FortiAP versions may technically work for the lowest common feature set. However, if problems arise, Fortinet Support will ask that the versions be matched, as recommended, before troubleshooting.



## Resolved issues

The following issues have been resolved in FortiAP-W2 version 7.2.0. For inquiries about a particular bug, visit the [Fortinet Support](#) website.

Bug ID	Description
606388	Sometimes FortiGate would report SSIDs from authorized FortiAP devices as "fake-ap-on-air".
778554	REST-API support: Expose max interface speed of all Ethernet ports on FortiAP.
779712	FortiAP would stop responding to SNMP queries sometimes.
786273	Add Station RSSI and SNR inside Probe logs.
790913	Add server IP/Name information to RADIUS, DNS and DHCP wireless event logs.

## Known issues

The following issues have been identified in FortiAP-W2 version 7.2.0. For inquiries about a particular bug or to report a bug, visit the [Fortinet Support](#) website.

Bug ID	Description
537931	FAP-222E doesn't support the FortiAP Configuration mode. Push and hold the RESET button on the POE adapter for more than 5 seconds to reset FAP-222E to the factory default.
655887	FAP-221E/223E gets low throughput on tunnel SSID when its wtp-profile has set <code>dtls-policy ipsec-vpn</code> .
692160	Wireless packets captured by FortiAP radio in Sniffer mode are corrupted.



[www.fortinet.com](http://www.fortinet.com)

Copyright© 2022 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.